



Features

→ Equipment designed to bring liquids to room temperature, formed by a combination of immersion thermostats and a covered basin in order to provide better uniformity of the desired working temperature: It includes:

1) A double-walled metal basin of 20 or 27 litres. The interior is 18/10 stainless steel and the exterior is AISI 304 stainless steel.

2) TFB immersion thermostat positioned on the cover with an external cooling coil in order to work at a temperature close to the ambient temperature, and it includes a stirring pump with an outlet for external circulation, adjustable by an incorporated tap.

3) Drain tap included.

4) It incorporates a blind tap to completely shut off the basin.

→ Resolution: 0,1°C

→ Precision: +/- 0,5% fs (full scale)

→ 4 digits temperature display

→ Probe type according to maximum temperature:

- Up to 99,9°C is PTC

- Up to 250°C Pt-100

→ The temperature regulation is by digital thermostat with PID self-adjustable control.

→ Manufactured according to CE directives

→ Voltage: 220V/50Hz

Specification

| MODEL | 1800-27 | 1802-27 |
|---------------------------------|-----------------|-----------------|
| Capacity (l) | 27 | |
| Max. Temp (°C) | 99.9 | 250 |
| Effective dimensions WxHxD (mm) | 210 x 200 x 290 | 320 x 200 x 290 |
| Exterior dimensions WxHxD (mm) | 550 x 230 x 350 | 550 x 230 x 350 |
| Power | 220VAC | |